

VA

**HEAVY DUTY CANTILEVER SHAFT PUMPS FOR
CORROSIVE, ENCRUSTING LIQUIDS AND SLURRY**

Industrial applications :

- Fertilizer plants
- Iron and steel industry
- Chemical industry
- Petrochemical industry
- Hydrocarbon processing
- Various industrial applications

Benefits :

- Heavy duty construction
- Ease of maintenance
- Adaptation for all hydraulic cells
- Can run dry
- No sealing system required



ISO 9001 CERTIFIED GROUP

 **Ensival Moret**
A Moret Industries Company

/ Design

- Designed to accept all types of hydraulics: semi-open, open, or torque flow impellers : suitable for all kind of liquids.
(Pump types : VAP / VO)
- Simple and robust design with ease of maintenance.
- Cantilever Design without submerged bearings and without shaft seal.
- Shaft guided by grease-lubricated roller bearings located above the base plate and sealed-off from contamination by a labyrinth ring.
- Construction with the bearing assembly under the base plate is possible.
- Discharge separate from the shaftline.
- Short in length (<1,8m). Can be extended by means of a suction pipe allowing the pump to operate with a liquid level under the impeller level.
- Bearing assembly is sealed-off to prevent bearing contamination by liquids or gases/vapors.
- Can run dry without risk of damage .
- Can be supplied with a V-Belt drive.

/ Performances and operating range :


- Flow : up to 3500 m³/h (15.500 US gpm)
- Total head : up to 100 m (3287 ft)
- Maximum operating pressure : 20 bar (290 PSI)
- Operating temperature range :
up to 120 °C (up to 248 °F)

/ Standard materials of construction :

- Cast iron, hard duplex iron, chromium iron.
- Stainless steel of all grades.
- Special alloys available upon request.

/ Additional Models :

- High temperature design up to 450 °C (850 °F).
- Design with heating jacket (Molten sulphur).
- Design for ammonium nitrate



/ HIGH RELIABILITY AND MINIMUM LIFE CYCLE COST

Type of hydraulics units



/ Open impeller :

For contaminated liquids and slurry. Open impeller provides an efficient solids handling.



/ Semi-open impeller :

For liquids with low solids content, aerated or encrusting.




/ Recessed impeller pump :

For aerated liquid or containing large size solids (Non-clogging pump).


/ Other types of impeller upon request

General hydraulic coverage



/ For higher performances in capacity and head, our team of engineers will be pleased to answer your requests.

High temperature design



- / Engineered design for high temperature applications**

- / Up to 450 °C - Higher temperature upon request**


- / Proven design with application up to 950 °C**

- / Fan-cooled bearing frame**

- / Precise selection of materials according to temperature requirements, coefficients of expansion and pumped fluid.**

- / Many options are available to suit plant requirements**

Design with heating jacket



- / Specifically designed for molten sulfur applications**

- / Reliable and efficient design**

- / Suitable for clean or slightly contaminated molten sulfur**

- / Steam jacketed column and discharge pipe allow to maintain the required temperature. Jacketed casing and suction pipe are optional.**

- / Designed to provide long service life with minimal maintenance costs**

- / A range of horizontal pumps for molten sulfur is also available.**



EM_EN_VA_0813

ENSIVAL MORET FRANCE

Chemin des Ponts et Chaussées
F-02100 Saint-Quentin
Tel : +33 (0)3 23 62 91 00
Fax : +33 (0)3 23 62 02 30
Email : emstquentin@em-pumps.com

ENSIVAL MORET FRANCE

59 Avenue du Danemark
F-37100 Tours
Tél : +33 (0)2 47 88 31 31
Fax : +33 (0)2 47 41 51 73
Email : emtours@em-pumps.com

ENSIVAL MORET FAPMO

35, 37 Rue Roger Salengro BP59
F-62230 Outreau (FRANCE)
Tel : +33 (0)3 21 10 01 21
Fax : +33 (0)3 21 80 46 88
Email : fapmo@em-pumps.com

ENSIVAL MORET AMERICA, Inc.

7901 SouthPark Plaza, Suite 102
Littleton, Colorado 80120, USA
Office : 303-798-4454
Fax : 303-798-4199
Email : sales@em-america.com

ENSIVAL MORET BELGIUM

Bois-la-Dame, 4 Z.I. les Plenesses
B-4890 Thimister-Clermont
Tel : +32 (0)87 46 81 11
Fax : +32 (0)87 46 81 00
Email : info@em-pumps.com

ENSIVAL MORET DEPLECHIN

Avenue de Maire, 28
B-7500 Tournai (BELGIUM)
Tel : +32 (0)69 89 00 89
Fax : +32 (0)69 89 00 60
Email : emtournai@em-pumps.com

ENSIVAL MORET ASIA

31 Mandai Estate
#07-07 Innovation Place - Tower 4,
Immedia
Singapore 729933
Tel : +65 6281 06 67
Fax : +65 6281 09 08
Email : emasi@em-pumps.com

ENSIVAL MORET INDIA Pvt. Ltd.

114-115, Metro House, Opp. T.M.T.C.,
7/8, Mangaldas Road
Pune - 411 001, Maharashtra - INDIA
Tel: 020-30858012
Email: emindia@em-pumps.com

ENSIVAL MORET (SHANGHAI) CO., LTD.

No. 1590, Li An Road,
Minhang District,
Shanghai 201199 - P.R. CHINA
Tel: +86 (0)21 5488 9599
Fax: +86 (0) 21 5488 9399
Email: emshanghai@ensival-moret.cn

ENSIVAL MORET DO BRAZIL

Distrito Industrial Bandeirantes
Rua País de Gales, 128
CEP 13.326-195 Salto-SP - BRASIL
Tel/Fax : (55) 11 4602 9595
Email: info@em-brasil.com